What Hydroponics Is

Grant Kinkead
Independent Researcher, Melbourne, VIC, Australia
grant@kinkead.au

***Abstract*—Hydroponics is often treated as a familiar label, yet the term is used inconsistently in popular and technical discussion. This paper clarifies what hydroponics is by examining accepted descriptions of soilless cultivation and the plant requirements that must be supplied when soil is not used as the root-zone environment. The argument developed here is that hydroponics is best defined not by the complete absence of solid support, but by the deliberate management of the root environment through prepared nutrient and water provision, together with control of aeration and related conditions. Evidence from reviews and plant nutrition studies shows that soil normally contributes water retention, ion exchange, aeration conditions, microbial interactions, and nutrient buffering, while plant growth itself depends on access to water, mineral nutrients, oxygen at the roots, and a suitable physical environment rather than on soil as a substance in its own right. On that basis, hydroponic systems may include inert or supportive media, provided those materials function as support rather than as soil. The paper also identifies a limited definitional ambiguity at the boundary between hydroponics and broader soilless cultivation. The practical implication is that a growing method is hydroponic when the grower intentionally supplies and regulates the root environment without relying on soil to perform that role.**

I. Introduction

Discussions of hydroponics often begin with the idea that plants are grown without soil, but that shorthand can obscure the more important scientific point: soil usually acts as a complex root environment rather than as a requirement in itself. Soil organic matter contributes to cation exchange, water retention, and microbial biodiversity, all of which influence nutrient availability to roots [1]. This matters for definition because hydroponics does not abolish plant requirements, it replaces soil's environmental functions with managed provision. In that sense, the central question is not whether soil is absent alone, but how water, dissolved nutrients, oxygen, and root support are supplied when soil is removed from the production system [2].

Evidence from plant physiology reinforces that distinction between soil and requirement. Experimental work comparing sand and natural soils under different nutrient availabilities showed that increased nutrient availability raised photosynthetic capacity and reduced the carbon costs of nitrogen acquisition, while some optimisation responses remained stable across media [3]. The implication is that plant performance responds strongly to accessible nutrient conditions, not merely to the identity of soil as a material. For the present paper, this helps define hydroponics as a cultivation approach in which the grower assumes responsibility for making the root environment functionally adequate, instead of depending on soil to do so indirectly and variably.

A similar logic appears in controlled culture studies that assess plant mineral accumulation, utilisation efficiency, and chemical speciation in vitro [4]. Such work shows that plants can take up and partition nutrients in highly managed environments when nutrient forms and availability are appropriately supplied, even though those environments differ markedly from field soil. This paper therefore addresses a narrow but important question: what does the term hydroponics actually mean, and what makes a growing method hydroponic? The answer advanced here is that hydroponics is a form of soil-free cultivation defined by deliberate root-zone management, and that this definition can include inert or supportive media without requiring detailed classification of system types.

II. Background and Scope

The boundary of hydroponics becomes clearer when it is distinguished from related soilless approaches without collapsing all of them into a single category. Reviews of bioponics, for example, describe several methods for preparing organic nutrient solutions, including tea-type extraction, aerobic microbial degradation, anaerobic digestion, and combined anaerobic-aerobic degradation [5]. These discussions matter because they show that the nutrient source can vary while the defining feature remains the organised provision of a root environment outside soil. At the same time, this paper does not attempt a full taxonomy of hydroponic, bioponic, aquaponic, or other systems, because the present scope is definitional rather than classificatory.

Broader reviews of soilless cultivation describe the field as one in which crop growth conditions are created through artificial regulation of the rhizosphere, including nutrient supply, gas exchange, and microbial interactions [6]. That description is especially useful for the present section because it moves the conversation away from simplified images of bare roots in water and towards the underlying operational principle. A system becomes hydroponic when the grower intentionally regulates the root zone instead of relying on soil processes to regulate it. This framing also accommodates inert or supportive media, since such materials may provide structure or water holding while the decisive nutritional and environmental control still comes from managed inputs rather than from soil.

Research on pasture soil profiles further illustrates why soil should be understood as an environment with interacting water and aeration properties, not as an intrinsic growth substance [7]. Studies of soil-water and diffusion-controlled aeration behaviour show that root performance depends on

the combined physical conditions surrounding roots, and those conditions vary with depth and profile characteristics. The gap addressed by this paper follows directly from that point: many descriptions say hydroponics is soil-free, but fewer explain precisely what replaces soil's functional role. This paper therefore synthesises accepted evidence to define hydroponics by root-zone provision and management, while acknowledging that the boundary between hydroponics and the wider category of soilless cultivation can remain partly contextual.

III. Core Concepts and Mechanisms

A precise definition of hydroponics begins with a precise understanding of what plants must receive. Work on plant nutrition argues that a mineral plant nutrient should be understood as an element essential or beneficial to plant growth, development, or harvested-product quality in a given species and environment [8]. This definition is important because it shifts emphasis from the traditional soil medium to the actual substances and conditions required by the plant. In hydroponics, the grower provides those substances directly or through prepared solutions, with greater intentionality than in unmanaged soil systems. The limitation is that nutrient sufficiency still depends on species, growth stage, and environment, so hydroponics is not defined by water alone but by the managed adequacy of the entire root-zone supply.

Accepted descriptions of hydroponics make this point explicit. One review presents hydroponics as a soilless horticultural method in which plants are grown on natural or man-made substrates and roots extract nutrients from a prepared nutrient solution [9]. This formulation directly answers a common misunderstanding: hydroponics is not limited to completely bare-root liquid culture. It can include inert or supportive media when those materials serve mainly as support, moisture retention, or physical anchorage rather than functioning as soil. The definitional core is therefore the prepared nutrient solution and the managed root environment. The presence of inert or supportive media does not disqualify a system from being hydroponic if soil is not the operative root-zone environment.

Although the present paper is not an argument about agricultural resilience, resilience-oriented reviews help clarify why hydroponics is defined through controllability. Climate resilience in agriculture has been described as the capacity of food systems to anticipate, absorb, adapt to, and recover from shocks while maintaining productivity, resource efficiency, and ecological balance [10]. Hydroponic relevance here lies in the capacity to decouple root management from field soil conditions, which can be advantageous in constrained environments. However, that practical value should not be confused with the definition itself. A growing method is hydroponic because of how the root environment is supplied and regulated without soil, not because it necessarily achieves every broader resilience outcome sometimes associated with soilless production.

IV. Evidence Synthesis

Evidence across the reviewed literature converges on a broad scientific distinction between soil-free cultivation and soil as a rooting medium. One review defines soilless plant culture as the growth of plants without soil as a rooting medium, typically with roots contained in a porous substrate or growing medium [11]. This wording is important because it confirms that hydroponic practice can include solid support without ceasing to be soilless. In other words, the relevant contrast is not between roots touching nothing and roots touching solids, but between reliance on soil and reliance on a managed alternative root-zone system. That distinction helps resolve ER02 while preserving a disciplined definition.

Comparative substrate studies strengthen this interpretation by showing that multiple non-soil materials can function within soilless cultivation. Research comparing dried sphagnum moss, wood chips, hemp fibres, and rockwool in lettuce production demonstrates that different supportive substrates can be used in greenhouse systems [12]. These materials can modify moisture behaviour, chemistry, and physical root conditions, yet they are not equivalent to soil in the definitional sense. Their role is compatible with hydroponics when nutrient delivery remains managed through the supplied solution. This is another reason the requested concept inert or supportive media should be treated as central, not peripheral, to a scientifically adequate definition of hydroponics.

Reviews addressing degraded soils and limited water availability further support the explanatory value of the soilless framework [13]. By presenting soilless cultivation as a useful production option where soil quality is poor or water is constrained, the literature implies that the key advantage comes from substituting direct environmental management for dependence on variable field soils. Yet this should not be overstated into a universal claim that all hydroponics is environmentally superior or agronomically preferable in every context. The stronger synthesis is narrower: hydroponics belongs within soilless cultivation because the grower constructs and manages the root environment, and this can be done with or without inert or supportive media so long as soil is not the operative rooting system.

V. Practical Implications and Limitations

For practical definition, a growing method counts as hydroponic when plants receive a nutrient-rich water solution directly and when the grower manages nutrient levels as part of the root-zone environment [14]. This direct provision helps explain why hydroponics can function in areas with poor soil quality and why the concept is broader than the image of roots suspended in water. Systems that use inert or supportive media can still meet this definition if the media do not replace the central role of managed solution chemistry and root-zone control. The limitation is that direct nutrient provision alone is not enough for a full description, because aeration, physical support, and water dynamics also affect whether the root environment is genuinely suitable.

Reported performance advantages in soilless systems show why the definition has practical importance, but they should be interpreted carefully. A recent review reports leafy-vegetable yields often 200 to 300 percent higher than open-field cultivation together with water reductions of 80 to 95 percent in soilless systems [15]. These figures help explain why hydroponics attracts attention, yet they do not define hydroponics in themselves. Performance outcomes depend on crop type, scale, management quality, and comparison baseline. For a definitional paper, the correct implication is modest: hydroponics can produce distinct agronomic outcomes because the grower controls the root environment directly, but outcome claims should not be generalised beyond the conditions reviewed.

A further qualification comes from evidence that hydroponics may achieve higher yields than conventional agriculture while also requiring higher energy inputs [16]. This trade-off is important because it prevents the definition from being romanticised into an automatic sustainability claim. Hydroponics is best understood as a managed cultivation method, not as an inherently superior one in every resource dimension. The evidence base used here also supports a narrow interpretation of ambiguity: authors broadly agree that hydroponics is soil-free and solution-based, but terminology overlaps with wider soilless cultivation, especially where substrates and organic nutrient pathways are involved [5], [16]. That ambiguity is real, yet it does not obscure the central criterion of non-soil root-zone management.

VI. Conclusion

Hydroponics is most accurately defined as soil-free cultivation in which the grower deliberately supplies and regulates the root environment needed for plant growth, rather than relying on soil as the operative rooting medium. Across the accepted evidence, soil emerges as a multifunctional environment that ordinarily mediates water, nutrient exchange, aeration, and biological interaction, while plant growth depends on the successful provision of those functions rather than on soil itself [1], [6], [8]. On that basis, a method remains hydroponic when it replaces soil with managed root-zone provision, including cases that use inert or supportive media as physical support rather than as soil substitutes.

The most important limitation is terminological rather than conceptual. The literature leaves some ambiguity at the boundary between hydroponics and broader soilless cultivation, especially when substrate-based systems and organic nutrient approaches are considered [5], [11], [13]. Even so, the evidence supports a stable answer to the reader's question: what makes a growing method hydroponic is not the absence of every solid material, but the deliberate management of plant requirements without reliance on soil. Further work would be most valuable where it sharpens boundary terms across soilless systems while preserving this functional definition.

Acknowledgment

The author used artificial intelligence tools to assist with manuscript drafting and revision, and with LaTeX and bibliography preparation. The author reviewed all AI-assisted output and remains responsible for the final content.

References

[1] N. Joshi, R. Kaur, and T. Nawaz, "The soil-root nexus: how soil health shapes plant nutrient uptake and food nutritional security," *Plant and Soil*, 2026.

[2] A. Fussy and J. Papenbrock, "An overview of soil and soilless cultivation techniques-chances, challenges and the neglected question of sustainability," *Plants*, 2022.

[3] J. A. Lankhorst, H. J. de Boer, D. C. Behling, P. L. Drake, E. A. Perkowski, and K. T. Rebel, "Nutrient availability increases photosynthetic capacity without altering the cost of resource use for photosynthesis," *AoB PLANTS*, 2025.

[4] A. Holst, M. Viñas, J. C. Méndez, P. Solórzano-Cascante, E. Guevara, and V. M. Jiménez, "Nutrients uptake and chemical speciation reveal species-specific mineral nutrition patterns in four plant species in vitro," *Plant Cell, Tissue and Organ Culture (PCTOC)*, 2026. [Online]. Available: https://doi.org/10.1007/s11240-025-03336-4

[5] I. Szekely and M. H. Jijakli, "Bioponics as a promising approach to sustainable agriculture: A review of the main methods for producing organic nutrient solution for hydroponics," *Hydroponics. Water*, 2022.

[6] A. Tuxun, Y. Xiang, Y. Shao, J. E. Son, M. Yamada, S. Yamada, K. Tagawa, B. Baiyin, and Q. Yang, "Soilless cultivation: Precise nutrient provision and growth environment regulation under different substrates," *Plants*, 2025.

[7] B. Pragg, M. M. T. Lakshani, T. K. K. C. Deepagoda, K. Cameron, H. Di, T. J. Clough, S. Carrick, B. Elberling, and K. Smits, "Identification of plant soil water and soil aeration corequisites: A management tool," *Soil Science Soc of Amer J*, 2024.

[8] P. H. Brown, F.-J. Zhao, and A. Dobermann, "What is a plant nutrient? changing definitions to advance science and innovation in plant nutrition," *Plant and Soil*, 2022.

[9] R. S. Velazquez-Gonzalez, A. L. Garcia-Garcia, J. O. Barceinas-Sanchez, E. Ventura-Zapata, and J. C. Sosa-Savedra, "A review on hydroponics and the technologies associated for medium- and small-scale operations," *Agriculture*, 2022.

[10] I. A. Lakhiar, H. Yan, T. N. Syed, C. Zhang, S. A. Shaikh, M. Rakibuzzaman, and R. B. Vistro, "Soilless agricultural systems: Opportunities, challenges, and applications for enhancing horticultural resilience to climate change and urbanization," *Horticulturae*, 2025.

[11] G. Barrett, P. Alexander, J. Robinson, and N. Bragg, "Achieving environmentally sustainable growing media for soilless plant cultivation systems - a review," *Scientia Horticulturae*, 2016.

[12] A. Nerlich and D. Dannehl, "Soilless cultivation: Dynamically changing chemical properties and physical conditions of organic substrates influence the plant phenotype of lettuce," *Frontiers in Plant Science*, 2021. [Online]. Available: https://doi.org/10.3389/fpls.2020.601455

[13] P. Sambo, C. Nicoletto, A. Giro, Y. Pii, F. Valentinuzzi, T. Mimmo, P. Lugli, G. Orzes, F. Mazzetto, S. Astolfi, R. Terzano, and S. Cesco, "Hydroponic solutions for soilless production systems: Issues and opportunities in a smart agriculture perspective," *Frontiers in Plant Science*, 2019. [Online]. Available: https://doi.org/10.3389/fpls.2019.00923

[14] S. Rajendran, T. Domalachenpa, H. Arora, P. Li, A. Sharma, and G. Rajauria, "Hydroponics: Exploring innovative sustainable technologies and applications across crop production, with emphasis on potato mini-tuber cultivation," *Heliyon*, 2024. [Online]. Available: https://doi.org/10.1016/j.heliyon.2024.e26823

[15] M. Elakrouch, M. Mohaddab, A. Rachid, and M. H. Jijakli, "Soilless agriculture at a crossroads: Strengths, challenges, and prospects of hydroponics, aquaponics, and bioponics in relation to precision farming," *Sustainability*, 2026.

[16] E. Fathidarehnijeh, M. Nadeem, M. Cheema, R. Thomas, M. Krishnapillai, and L. Galagedara, "Current perspective on nutrient solution management strategies to improve the nutrient and water use efficiency in hydroponic systems," *Canadian Journal of Plant Science*, 2024.